

Kunskapsbas > Timekeeping > Quantum with Swimify protocol

Quantum with Swimify protocol

Erik Fornander - 2023-06-09 - Timekeeping

This article describes how to get started with connecting Swimify/WinGrodan 2 Timekeeping to the Quantum Swimming software using the Quantum Swimify protocol.

Settings in Quantum

To enable the Swimify protocol in Quantum you must first go to the **I/Os** tab in Quantum Swimming. Select DH Swimify in the drop-down box on an empty row.



Everything in the Quantum should now have the correct settings. You can edit some settings for the DH Swimify protocol by changing the fields in the bottom grid.

| Swimify DH Parameters | | | | | | | | | | |
|---|--------------|------|--|--|--|--|--|--|--|--|
| 1:TCP Port | | | | | | | | | | |
| b:Settings | 26800 | | | | | | | | | |
| 2:Running Time Settings | | | | | | | | | | |
| a:Enable | ✓ | | | | | | | | | |
| b:Hold time (in sec) | 10 | | | | | | | | | |
| c:Stop mode | Last arrival | ~ | | | | | | | | |
| ✓ 3:Options | | | | | | | | | | |
| a:Enable keep alive | ✓ | | | | | | | | | |
| b:Auto Switch to Results | \checkmark | | | | | | | | | |
| c:Remove empty heats | ✓ | | | | | | | | | |
| ✓ 6:Tests | | | | | | | | | | |
| a:Test Command | Start | Stop | | | | | | | | |
| ✓ Övrigt | | | | | | | | | | |
| EnableSpy | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| a:Enable keep alive Enable periodic keep alive message | | | | | | | | | | |

Settings in Swimify/WinGrodan 2

Timekeeping

You must also do some changes in the settings window in Swimify/WinGrodan 2 Timekeeping. Start Swimify/WinGrodan 2 Timekeeping application and click on the Settings button to open the settings window.

| Menu | Timek | eeping | | | | | | | | | | | | | |
|-----------|-------|--|-------------------|----------------------|--------------------|------------|-------------------|-----------------|---|--|-----------------|-----------------|--|--|--|
| | | > | | 🔀 Close heat | _0 | | 6 | \checkmark | 40 | | () () | Quantum DH 05M6 | | | |
| Open heat | Next | heat (| Open test race | 🔞 Clear results | Resend Scb list | Edit times | Change swimmer | Confirm heat | Connect to timekeeping | | | Port: COM1 | | | |
| | Navig | ation | | | | Heat | | | | Timekeeping s | system: Quantun | DH OSM6 | | | |
| | (C) | Sat | tings | | | | | antu | m Suui | mify T | | the | | | |
| | * | Jet | ungs | | | | | | | | | | | | |
| | | Tim | ekeepin | g | | Time | Ree | ping | syste | muic | p-uov | | | | |
| | ľſ | Timeł | eeping | system: | Ou | iantum S | Swimify | ТСР | K | ARES/Quantum Port: COM1 Imekeeping system: Quantum DH OSM6 nify TCP in the ndrop-down | | | | | |
| | | V A | | | | | | | | | | | | | |
| | | | | - | - | orid (lan | ec 8-1 i | nstead | of 1-8) | | | | | | |
| | | Use descending lane sort in grid (lanes 8-1 instead of 1-8) | | | | | | | | | | | | | |
| | | Confirm heat when receiving Official from timekeeping system | | | | | | | | | | | | | |
| | | | og time | | | | | | | | | | | | |
| | | Ne | | | | | | | | | | | | | |
| | | Qu | lanti | um prin | nary | | | - | | | | | | | |
| | | _ | | | | | | | | | um | | | | |
| | | 0 | Auto di Manual | iscover Ily enter | | | | ~ | to discove nually ente | | | | | | |
| | | ~ | 🔿 Qua | antum found | | | | IP addr | ess/name | secondar | y: | | | | |
| | | \vee | / - | 192.168.1.16 | 58 | | | 127.0. | 0.2 | | | | | | |
| | | | | | | | | Port se | condary: | | 26800 | | | | |
| | | | | | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | • | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | <u>O</u> K <u>C</u> ancel | | | | | | | | | | | | | |

In the timekeeping settings window you must select Timekeeping system: Quantum Swimify TCP. You will then get a group box named Network (TCP) at the bottom of the settings window with some additional settings that are specific for Quantum Swimify TCP. Network TCP Connection settings You have two options:

- Auto discover
- Manually enter

We recommend you use the **Auto discover** option. The option called **Manually enter** is used if you for example have multiple Quantum softwares in the same network and want to specify which computer you want to connect to or if the **Auto discover** option doesn't work correctly.

When you select **Manually enter**, you will get two fields where you enter the IP address and the port of the computer that the Quantum software is running on.

If Auto discover does not work then it may be that the network traffic is blocked by a firewall. The following ports are used and must be opened in the firewalls.

- TCP Port 26800
- UDP Port 26801
- UDP Port 26802

Auto follow timekeeping

There is also an option called Auto follow timekeeping. We recommend that you enable this setting. What this option does is this: When the Quantum operator opens a heat in Quantum, then Swimify/WinGrodan 2 Timekeeping will open the same heat. The advantage is that you do not need to click Next Heat button to manually move to the next heat, WinGrodan 2 Timekeeping will open the correct heat automatically.

Import events and heats to Quantum

Before you can start your races you need to add events and heats to your Quantum competition. You can add events and heats manually but that is a lot of work and you need to make sure that you have the same event numbers and heat numbers as the events and heats in Swimify/WinGrodan 2.

Instead of adding events manually we recommend you instead import the events and heats from Swimify/WinGrodan 2.

To import the events in Quantum you go to the tab named Timing. In the Timing tab you should see a menu named Swimify (or whatever custom name you entered as mentioned in the first image above on this page). When you click on this menu you get a menu with 4 options.



Import schedule

This option will send a request to Swimify/WinGrodan 2 Timekeeping and retrieve all events, all seeded heats and swimmers into the Quantum event list. We recommend you do this before each session but after you have seeded the session in question.

• Import selected Race

When you click on **Import selected Race**, Quantum will retrieve the heats and swimmers for only the event selected in the Quantum event list. This is useful if you for example do a re-seeding of an event in Swimify/WinGrodan 2.

• Import schedule ONLY

This option will download only the events from Swimify/WinGrodan 2. It will NOT download heats and swimmers.

• Resend Heat

If you use this option then Quantum will resend all the results for the current heat to Swimify/WinGrodan 2 Timekeeping. This is good to use if you for example forgot to start Swimify/WinGrodan 2 Timekeeping before the race started or if you had some other problems with connecting Swimify/WinGrodan 2 Timekeeping to Quantum during the race. When you click on this button Quantum will resend all the reaction times, all split times and all finish times.

How to run a race

When you run a race there are a couple of important things to check.

First make sure you have opened the correct database in Swimify/WinGrodan 2 Timekeeping. If you have the wrong database loaded then you will also get the wrong events and swimmers sent to Quantum when you import the events.

The second important thing to check is to make sure you connect to the timekeeping equipment. You do this by clicking on the button called **Connect to timekeeping**. When you click on this button the program will try to connect to Quantum using the network.



If everything works correctly, you should see that the **Connect to timekeeping** button get a little green icon instead of the red icon. You can also see that the connection status will get a green check mark and say Connected instead of Disconnected.



After you have connected to Quantum you can then open a race in Quantum. Do this by going to the Timing tab and select an event in the event list (step 1 in image below) and then select a heat in the heat list (step 2 in the image below) in the Quantum software and click on the Open button (step 3 in the image below).



The same heat should now open in Swimify/WinGrodan 2 Timekeeping assuming you have enabled the "Auto follow timekeeping" option in settings. If you are not using "Auto follow timekeeping" then you can manually open the heat in Swimify/WinGrodan 2 Timekeeping by double clicking on the heat in the heat list.

The way Swimify/WinGrodan 2 Timekeeping works is by opening a heat as a current heat. All timekeeping data will be saved into this current heat.

| en heat | race | Close heat | Resend Scb list | Edit times | Change swimme | Confirm heat | | connect ekeeping | Expor ARES/Qua | ntum 🔻 | Settings | 192.168.1 | cted, OnAir . 168 | | m Secon onnected . 1.52 | dary | | 0.0 |) | | | |
|---------|------------------------|------------------------|--------------------|--------------|------------------|----------------------------|---------|---------------------|-------------------|-------------------------|------------|------------|--------------------------|--------|-------------------------------|------------|--------|---------|--------|-------|---------------|----|
| | Navigation | | | Heat | | | | | | Timeke | eping syst | em: Quantı | um Swimify | | | | Runnir | ng time | | | | |
| | Nr 🔺 Name | | _ | 2, 20 | 0m F | järilsi | m ŀ | lerrar, | Förs | ök, F | örsök | 5 (6) | , Juni | or | | | | | | | | |
| 10:05 | 1 Försök 1 (6), Senie | | 0 | stimated | neat star | t: 10:35:4 | 9 | Heat st | art: | 12:0 | 0:00 AM | C Sche | dule differe | nce: | | | | | | | | |
| 10:08 | 1 Försök 2 (6), Senie | | | Lane | ▲ ID | Name | | | Tean | n | | _ | Read | tion T | ime Dist | Heat Rk | 1 | DNS | DSO | DNF | No | te |
| 10:10 | 1 Försök 3 (6), Junio | | | | 1 | 144 Axel A | luer | | Karls | krona Sims | ällskap | | | | | 0 | 0 | | | | | |
| 10:13 | 1 Försök 4 (6), Junio | | | | 2 | 289 Robin | Björklu | nd | Njuru | unda Simsä | illskap | | | | | 0 | 0 | | | | | |
| 10:16 | | or 200m Frisim Damer | | | 3 | 3 277 Oskar Iwarsson | | | | Simklubben Neptun | | | | | | 0 | 0 | | | | | |
| 10:19 | 1 Försök 6 (6), Junio | or 200m Frisim Damer | im Damer | | | 4 456 Christopher Lindholm | | | | Väsby Simsällskap | | | | | | 0 | 0 | | | | | |
| 10:23 | 2 Försök 1 (6), Senie | or 200m Fjärilsim Herr | ar | | 5 | 312 Ian Ha | angård | | Simk | Simklubben Poseidon | | | | | | 0 | 0 | | | | | |
| 10:26 | 2 Försök 2 (6), Senia | or 200m Fjärilsim Herr | ar | 6 279 Simon | | | | | Simk | Simklubben Neptun | | | | | | 0 | 0 | | | | | |
| 10:29 | 2 Försök 3 (6), Junio | or 200m Fjärilsim Herr | ar | 7 234 Primus | | | | | | Malmö Kappsimningsklubb | | | | | | 0 | 0 | | | | | |
| 10:32 | 2 Försök 4 (6), Junio | or 200m Fjärilsim Herr | ar | | 8 411 Niklas N | | | yblom Täby Sim | | | | | | | 0 | 0 | | | | | | |
| 10:35 | 2 Försök 5 (6), Ju | nior 200m Fjärilsii | m H | | | | | | | | | | | | | | | | | | | |
| 10:38 | 2 Försök 6 (6), Junio | or 200m Fjärilsim Herr | ar | | | | | | | | | | | | | | | | | | _ | |
| 12:09 | 7 Final 1 (4) 4x100m | I Frisim Damer Jr | | plits | | | | | | | | | | | | | | | | | | |
| 12:15 | 7 Final 2 (4) 4x100m | Frisim Damer Jr | 0 | | Lane 1 Lane 2 | | | ane 2 | | | | Lane 4 | | | | Lane 6 | Lane 7 | Lane | 28 | | | |
| 12:20 | 7 Final 3 (4) 4x100m | Frisim Damer Jr | | | Axe | Axel Auer Robin Björklund | | | ind | Oskar Iwarsson Christ | | | topher Lindh Ian Hangård | | | Simon Blom | | Primus | Olsson | Nikla | Niklas Nyblom | |
| 12:26 | 7 Final 4 (4) 4x100m | Frisim Damer Jr | | Distar | nce | Split | 50m | Split | 50m | Split | 50m | Split | 50m | Split | 50m | Split | 50m | S | olit ! | 50m | Split | |
| 12:41 | 8 Direktfinal 1 (4) 15 | 00m Frisim Herrar | | • | 50 | | | | | | | | | | | | | | | | | |
| 12:44 | 8 Direktfinal 4 (4) 15 | i00m Frisim Herrar | | 1 | 00 | | | | | | | | | | | | | | | | | |
| 12:59 | 8 Direktfinal 2 (4) 15 | i00m Frisim Herrar | | 1 | .50 | | | | | | | | | | | | | | | | | |
| 13:17 | 8 Direktfinal 3 (4) 15 | i00m Frisim Herrar | | | 00 | | _ | | | | | | | | | | | | | | | |
| 17:55 | 4 B Final 100m Frisin | Herrar | | | | _ | The | | | | | | | | | current | | | | | - | - |
| 17:56 | 4 A Final 100m Frisin | n Herrar | | | | | | data | that is | sent | out fro | m the | timeke | eping | unit wi | ll be sav | ed ir | nto th | is hea | ıt | | |
| 19:09 | 9 Final 2 (3) 4x100m | Frisim Damer Sr | | | | | | | | | | | | | | | | | | | | |
| | 0 5-1 2 (2) 4-100- | | - | | | | | | | | | | | | | | | | | | | |

When the race is finish and you open the next heat in Quantum, then Swimify/WinGrodan 2 Timekeeping should also open the next heat and be ready to start the next race.

Other important issues regarding

Swimify/WinGrodan 2 Timekeeping

- Make sure you only have one computer running one instance of Swimify/WinGrodan
 2 Timekeeping when the competition is running. You do NOT want to have two different computers running the application and have both of those applications connected to the Quantum software.
- Make sure you have the Swimify/WinGrodan 2 Timekeeping application running the whole time that the competition is running. You can close and restart Swimify/WinGrodan 2 Admin software but the Timekeeping software should run at all times. If you accidentally close the software then you can use the "Resend Heat" function from Quantum to resend any heats that you may have missed.